



REVISIONS					
REV.	ECO NO.	DESCRIPTION	CHECKED	APPROVED	DATE
A	36-527	INITIAL RELEASE	P.C.T.	R.F.G.	04/11/96
B	36-754	REVISED PER ECO 36-754	P.C.T.	R.F.G.	9/25/96
C	36-883	CLEARANCE .28 WAS .15	P.C.T.	R.F.G.	5/6/97
D	36-941	REVISE PER ECO			

HOLE CHART		
HOLE	DESCRIPTION	QTY
A	$\varnothing.257$ THRU, $\varnothing.688$ X $.274$ ∇ COUNTERBORE FROM NEARSIDE $\oplus \varnothing.010$ (M) A B C	1
B	$\varnothing.368$ THRU, $\varnothing.719$ X $.400$ ∇ COUNTERBORE FROM NEARSIDE $\oplus \varnothing.010$ (M) A B C	4

NOTES:

1. MATERIAL: .75 THICK HIGH DENSITY POLYETHELENE

		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCE: ANGLES $\pm 1^\circ$ 3 PLACE DECIMALS $\pm .005$ 2 PLACE DECIMALS $\pm .01$	NAME	DATE	MASSACHUSETTS INSTITUTE OF TECHNOLOGY CENTER FOR SPACE RESEARCH CAMBRIDGE, MA 02139			
			DRAWN H.C.WEST	3/6/96				
		MATERIAL SEE NOTE 1	CHECKED P.C.TAPPAN	04/11/96	SHIELD-2			
			APPROVED R.F.GOEKE	04/11/96				
			RELEASED J REPAC	04/12/96				
36-10203	ACIS	INTERPRET DIMENSIONS AND TOLERANCES IAW ANSI Y14.5M-1982	WEIGHT		SIZE C	CAGE CODE 80230	DWG. NO. 36-10203.02	REV. D
NEXT ASSEMBLY	USED ON		SCALE 1/1	SHEET 1 OF 1				
APPLICATION								