



REVISIONS					
REV.	ECO NO.	DESCRIPTION	CHECKED	APPROVED	DATE
A	36-528	INITIAL RELEASE	P.C.T.	R.F.G.	04/11/96
B	36-693	REVISED PER ECO	P.C.T.	R.F.G.	07/23/96
C	36-754	REVISED PER ECO			

HOLE CHART		
HOLE	DESCRIPTION	QTY
A	ϕ .257 THRU, $L\phi$.688 X .274 ∇ COUNTERBORE FROM NEAR SIDE ϕ .010 $\text{\textcircled{M}}$ A B C	1
B	ϕ .368 THRU, $L\phi$.719 X .400 ∇ COUNTERBORE FROM NEAR SIDE ϕ .010 $\text{\textcircled{M}}$ A B C	2

NOTES:
 1. MATERIAL: .75 THICK HIGH DENSITY POLYETHYLENE

		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCE: ANGLES \pm 1° 3 PLACE DECIMALS \pm .005 2 PLACE DECIMALS \pm .01		MASSACHUSETTS INSTITUTE OF TECHNOLOGY CENTER FOR SPACE RESEARCH CAMBRIDGE, MA 02139	
		MATERIAL		SHIELD-6	
36-10203		ACIS		SIZE C	
NEXT ASSEMBLY		USED ON		CAGE CODE 80230	
APPLICATION		INTERPRET DIMENSIONS AND TOLERANCES IAW ANSI Y14.5M-1982		DWG. NO. 36-10203.06	
				SCALE 1/1	
				SHEET 1 OF 1	