



| REVISIONS | | | | | | |
|-----------|---------|-----------------|---------|---------|----------|------|
| REV. | ECO NO. | DISCRIPTION | | CHECKED | APPROVED | DATE |
| A | 36-311 | INITIAL RELEASE | PCT RFG | 9/27/95 | | |
| B | 36-453 | SEE ECO 36-453 | | | | |

NOTES:

1. DEBURR AND BREAK SHARP EDGES, .01 MAX.
2. MACHINED SURFACES 125 MAX EXCEPT AS NOTED.
3. CONVERSION COAT PER MIL-C-5541, CLASS 3.

| | | | | | | | | | |
|---------------|--|--|------------------|------------|---|----------------------------------|----------|--------------|------|
| | | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCE: ANGLES ± 1° 3 PLACE DECIMALS ± .005 2 PLACE DECIMALS ± .01 | NAME | DATE | MASSACHUSETTS INSTITUTE OF TECHNOLOGY CENTER FOR SPACE RESEARCH CAMBRIDGE, MA 02139 | | | | |
| | | | DRAWN | J.COOK | 5/15/95 | SUPPORT BRACKET UPPER +Y SIDE | | | |
| | | | CHECKED | P.C.TAPPAN | 9/18/95 | | | | |
| | | | APPROVED | R.F.GOEKE | 9/27/95 | | | | |
| | | MATERIAL | RELEASED | D.GAGE | 9/27/95 | SIZE | FSCM NO. | DWG. NO. | REV. |
| 36-30100 | | ACIS | 6061-T6 ALUMINUM | | | B | 80230 | 36-30109 | B |
| NEXT ASSEMBLY | | USED ON | WEIGHT | | | SCALE 2/1 | | SHEET 1 OF 1 | |
| APPLICATION | | | | | | | | | |