



REVISIONS					
REV.	ECO NO.	DESCRIPTION	CHECKED	APPROVED	DATE
A	36-621	INITIAL RELEASE	FJK	RFG	5/17/95
B	36-650	MASKING Ø WAS .31			



SOLDER SIDE



COMPONENT SIDE

NOTES:

1. CONFORMAL COAT IAW MIT SPECIFICATION 36-02026 USING F/N 9.
2. MASK AS INDICATED.
3. ATTACH PROTECTIVE COVER, F/N 27, TO J1 DURING ALL NON-TESTING OPERATIONS.
4. HANDLE WITH CONTAMINATION, POWDER FREE GLOVES DURING ALL POST COMFORMAL COAT OPERATIONS.
5. CLEAN TEMPORARY HARDWARE IAW MIT PROCEDURE 36-02027 PRIOR TO ASSEMBLY.

INTERPRET DIMENSIONS AND TOLERANCES IAW ANSI Y14.5M-1982		NAME	DATE	MASSACHUSETTS INSTITUTE OF TECHNOLOGY CENTER FOR SPACE RESEARCH CAMBRIDGE, MA 02139
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCE: ANGLES ± 1° 3 PLACE DECIMALS ± .005 2 PLACE DECIMALS ± .01		DRAWN Applied CAD	17 Apr 96	
MATERIAL		CHECKED F.Kasparian	17 MAY 96	BACK END PROCESSOR MASKING
36-30301 ACIS		APPROVED R.Goeke	17 MAY 96	
NEXT ASSEMBLY USED ON		RELEASED J.Pepec	17 MAY 96	SIZE D CAGE CODE 80230 DWG. NO. 36-30301.99 REV. B
APPLICATION		WEIGHT		SCALE 1:1 SHEET 1 OF 1